

SAFETY DATA SHEET

CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD (HCS) 29 CFR 1910.1200

SECTION 1. IDENTIFICATION

Product identifier:	JAX FGH-AW ISO 22
Part number:	50022
Identified uses:	Lubricant where there may be incidental food contact
Uses advised against:	Not intended for direct food contact. Other uses advised against may be specified elsewhere in this SDS.

<u>Supplier:</u>	JAX INC. W134 N5373 Campbell Drive Menomonee Falls, WI 53051 USA		
Email contact: Non-emergency contact:	info@jax.com Phone: 262-781-8850 Fax: 262-781-390	6	
Emergency telephone:	INFOTRAC: North America 1-800-535-5053 International 011-1-352-323-3500 (collect)	Australia 1-300-366-961 China 400-120-0761	Germany 0800-181-2926

SECTION 2. HAZARD(S) IDENTIFICATION

.

Classification:

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Label elementsNot applicablePictograms:Not applicableSignal word:Not applicableHazard statements:Not applicablePrecautionary
statements:Not applicableHazards not otherwiseNot applicable.

classified:

Additional information: Not applicable.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Composition:	Chemical name	<u>%</u>	<u>CAS #</u>	Impurities
	White mineral oil (petroleum)	90-99	8042-47-5	None

SECTION 4. FIRST-AID MEASURES

First aid measures	
Eye contact:	Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation persists, consult a physican.
Skin contact:	Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before reuse and discard oil-soaked shoes. If irritation persists, consult a physician.
Ingestion:	If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention. Never give anything by mouth to an unconscious person. Consult a physician.
Inhalation:	Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
Most important symptoms and effects both acute and delaye	

Indication of any No further relevant information available.

Odor threshold:

Not available

immediate medical attention and special treatment available:		
General information:	No further relevant information available.	
SECTION 5. FIRE-FIGHTIN	NG MEASURES	
<u>Suitable extinguishing</u> <u>media:</u>	Extinguishing media include dry chemical, alcohol used to keep fire-exposed containers cool.	foam, and carbon dioxide. Do not use direct stream of water. Water may be
<u>Unsuitable</u> extinguishing media:	Do not use direct stream of water.	
Specific hazards:	Pressure build-up due to heat exposure may cause	e containers to rupture. Use water spray to keep contianers cool.
Advice for firefighters:	Firefighters should wear full protective gear, inclue space or as otherwise needed.	ding helmet. Use supplied-air breathing equipment for enclosed or confined
SECTION 6. ACCIDENTAL	L RELEASE MEASURES	
Personal precautions, protective equipment and emergency procedures:	In the event of a spill or accidental release, notify away from ignition sources. Wear protective equip	relevant authorities in accordance with all applicable regulations. Keep oment. Keep unprotected persons away.
Environmental precautions:		areas by diking or impounding. Dike far ahead of spill for later recovery and ered or may enter sewers, watercourses, or extensive land areas.
<u>Methods for</u> <u>containment and</u> <u>cleaning up</u>	suitable absorbent material to the spill area. Reconnational and/or local regulations relating to waste	c. Confine the spill immediately with booms. Remove from the surface by
SECTION 7. HANDLING ANI	D STORAGE	
Precautions for safe handling:	Keep away from heat and direct sunlight. Ensure g	ood ventilation/exhaustion at the workplace.
Conditions for safe storage, including any incompatibilities:		ers. Store out of direct sunlight. Do not store near heat, sparks, open flame, nition. Do not store where temperature may exceed 49°C (120°F). Store
SECTION 8. EXPOSURE C	CONTROLS / PERSONAL PROTECTION	
Workplace exposure	Chemical name	Exposure limit and source

Workplace exposure	<u>Chemical name</u>	Exposure limit and sour	<u>ce</u>
<u>limits:</u>	White mineral oil (petroleum)	5 mg/m³ (oil mist), TWA	, ACGIH
Exposure controls			
Engineering controls:	Provide exhaust ventilation or other engineering co- occupational exposure limits.	ntrols to keep the airborne cor	centration of vapors below their respective
Ventilation:	Use in a well-ventilated area. See Engineering Contr	ols.	
Personal hygiene:	Wash skin thoroughly after contact, before breaks a from skin by waterless hand cleaners followed by w		
Eye protection:	Chemical splash goggles or face shield in compliance	e with OSHA regulations are ad	vised when eye contact may occur.
Hand protection:	Any lined non-permeable rubber gloves.		
Respiratory protection:	: Use with adequate ventilation. Respiratory protection local exhaust ventilation to control exposure. In case NIOSH/MSHA-approved air-supplied respirator is ad	e of insufficient ventilation, we	ar suitable respiratory equipment. A
SECTION 9. PHYSICAL AN	ID CHEMICAL PROPERTIES		
Appearance / odor:	Water white lubricating oil with little or no odor	Upper flammability limit:	Not available
		Lower flammability limit:	Not available
Physical state:	Liquid	Vapor pressure:	Not available

Vapor density:

			Supersedes Date	11/23/2015
pH:	Not available		Not available	
Melting / freezing point:		Relative density:	0.85 (typical)	
Initial boiling point and boiling range:	Not available	Solubility in water:	Nil	
Flash point:	405°F (207°C), ASTM D 92	Partition coefficient (n-octanol/water):	Not available	
Evaporation rate:	Not available	Autoignition temperature:	Not available	
<u>Flammability (solid, gas)</u> :	Not applicable	Decomposition temperature: <u>Viscosity</u> :	Not available >20.5 cSt @ 40°C	

SECTION 10. STABILITY AND REACTIVITY

Reactivity:	Not reactive under normal conditions.
Chemical stability:	Stable under recommended conditions.
Possibility of hazardous reactions:	Hazardous reactions are not expected to occur.
Conditions and materials to avoid:	Avoid contact with heat, open flames, and oxidizing agents.
Hazardous decomposition products:	Carbon monoxide, carbon dioxide, smoke and irritating vapors as products of incomplete combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact:	No known significant effects or critical hazards.		
Skin contact:	No known significant effects or critical hazards.		
Inhalation:	No known significant effects or critical hazards.		
Ingestion:	No known significant effects or critical hazards.		
Component information:	<u>Components</u> White mineral oil (petroleum)	<u>LD₅₀</u> >5000 mg/kg (oral, rat)	<u>LC₅</u> Not available

Information on physical, chemical and toxicological effects

Symptoms: See Section 4 of this SDS for symptoms.

Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects:	No further relevant information available.
Carcinogenicity:	This product does not contain a carcinogen or potential carcinogen as listed by NTP or IARC.
Numerical measures of	Not determined
toxicity:	

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity:	Not available	
Component information:	<u>Components</u> White mineral oil (petroleum)	<u>L(E)C₅₀</u> Not available
Persistence and degradability:	Not determined	
<u>Bioaccumulative</u> potential:	Not determined	
Mobility in soil:	Not available	
Other adverse effects:	Not determined	

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment
methods:Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.
Consult national or regional authorities for proper disposal and reporting procedures.

SECTION 14. TRANSPORTATION INFORMATION

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

	Proper Shipping Name:	<u>UN Number</u> :	Hazard <u>Class:</u>	Packing <u>Group</u> :	Remarks:
<u>U.S. D.O.T.</u>	Not regulated	None	None	None	None
ADR/RID	Not regulated	None	None	None	None
IMDG	Not regulated	None	None	None	None
<u>IATA</u>	Not regulated	None	None	None	None

SECTION 15. REGULATORY INFORMATION

U.S. Federal Regulations	
SARA Section 302 Extremely Hazardous Substances:	This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List: None
SARA Section 304 CERCLA Hazardous Substances:	Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to reporting to the National Response Center under CERCLA: None
SARA Section 313 Toxic Chemicals:	This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations: None
TSCA Inventory:	All components of this material are on the U.S. TSCA Inventory.
U.S. State Regulations	
California Proposition 65 Status:	This product does not contain chemical(s) known to the State of California to cause birth defects or other reproductive harm.
California Proposition 65 Listed Components:	None
International Regulations	
Canada:	This product has been classified in accordance with the hazard criteria of WHMIS 2015 and the SDS contains all of the information required by those regulations.
Japan MITI:	Not available
Australia:	Not available
Switzerland:	Not available
SECTION 16. OTHER INFORMATION	
Sections Revised:	Sections 3, 8, 11 and 12.
Revision Date:	5/11/2017

The information and recommendations contained herein are, to the best of JAX INC.'s knowledge and belief, accurate and reliable as of the date issued. JAX INC. makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JAX INC. shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with JAX INC.'s interpretation of the available data.

*** END OF SDS ***